



Active User Manual V5.0





Contents

Α.		PREPARA	FION AND GENERAL NOTES	. 4
	1.	NOTES ON	NTYPOGRAPHY	5
	2.	Manuals		5
	3. FUNDAMENTAL TERMS			7
	4.	CREATING	ACTIVE USERS	8
В.	,	YOUR EVA	ALUATION PROCESS	10
	1.	Logging	INTO CLASS CLIMATE	10
	2.	2. ADJUSTING YOUR INDIVIDUAL PROFILE		
	3. Adapting and Creating Questionnaires			12
		3.1. Syst	em Wide Questionnaires	12
		3.2. Usin	g Templates	12
		3.1. Indiv	vidual Questionnaires	14
		3.1.1.	Filter Settings	15
		3.1.2.	Validation	17
		3.1.3.	Required Questions	18
		3.1.4.	Cross Tabulations	19
4.		CREATING	GA FOLDER	20
	5.	CREATING	S SURVEYS	22
		5.1. The	Four Types of Surveys	24
		5.1.1.	Paper Based Surveys	24
		5.1.2.	Online Surveys	26
		5.2. Extra	a Options	27
		5.2.1.	Questionnaire Numbering /Using Batch Printing	27
		5.2.2.	Verify Data	28
	6.	ADMINISTI	RATING AND CONDUCTING SURVEYS	29
		6.1. Action	ons in a Survey	32
		6.2. Man	aging and Conducting Paper Based Surveys	38
		6.2.1.	Printing Questionnaires	38
		6.2.2.	Scanning Questionnaires	40
		6.2.3.	Reading the Questionnaires	42
		6.2.4.	Verification	43
		6.2.5.	Manual Capturing of Handwritten Comments	47
		6.3. Man	aging and Conducting Online Surveys	48
		6.3.1.	Online Survey Preview	48
		6.3.2.	Distributing and Sending PSWDs	49
		6.3.3.	Create and Manage Scheduled Online Surveys	51
		6.3.4.	Overview of Planned Online Surveys	56





7.	Working	WITH THE DATA OF THE ACTIVE USER	57
7	7.1. In th	ne Overview of Surveys in a Folder	57
7	7.2. In th	ne Details of a Survey	58
	7.2.1.	Survey Evaluation Statistics (Only in Paper Surveys)	58
	7.2.2.	Results in HTML Format	59
	7.2.3.	Results in PDF Format	61
	7.2.4.	Profile Line (Optional)	63
	7.2.5.	Merging Evaluations	64
	7.2.6.	Evaluate Subgroup	66
	7.2.7.	Dynamic Subgroups	70
7	7.3. Exp	orting data to CSV/SPSS	73
	7.3.1.	Raw Data in SPSS Format	74
	7.3.2.	Raw Data in CSV Format	74
C. A	ADVANCE	D SETTINGS AND FUNCTIONS	75
1.	Process	DEFAULTS IN THE MENU "CONFIGURATION"	75
2.	QUESTION	N LIBRARY	77
3.	SYSTEM I	NFORMATION	82





A. Preparation and General Notes

This manual addresses the specific questions of active users who work either parallel to the central evaluation or exclusively in de-central evaluation.

Active users can – in accordance with access rights – conduct all steps of a survey through their user account themselves.

This regards:

- Creating questionnaires. The right to create questionnaires is assigned by the administrator to each user individually. In this way, some users can setup surveys, but only with the questionnaires designated by the administrator. Others can edit these central questionnaires, but not create new ones etc.
- Conducting paper based and online surveys. With the existing questionnaires, active
 users can create surveys at will.
- Evaluating a survey. After reading the data, an active user automatically receives the
 results of the survey, which can be processed further i.e. consolidate it with other
 reports, form sub-groups of specific criteria (i.e. by age, gender etc.) etc.
- The export as a CSV file and in statistics tools such as SPSS. Active users can further process the results of their surveys in other programs.

Active users access Class Climate – as do administrators – via a web browser and as such can theoretically access the system from any PC with internet access (except when, for security reasons, the administrator defines certain restrictions). Security of access is, as with the administrator, safeguarded by a password protected login as well as the capability of SSL encryption.

The questionnaires of paper based surveys are captured by de-central scanstations, operated by the users themselves. The scanning process is so simple to manage that no instruction is required.

Of course, it is not possible that active users can see each other's results. Only the active user himself and the administrator can gain insight to the data.





1. Notes on Typography

Explanations are visualized through illustrations. In more complex windows, red eclipses/rectangles usually show which elements the comments in the text relate to.

Menu names are set in quotation marks: "menu name"

Buttons are set in angular brackets: [button]

Three symbols alert you to important elements in the manual:

Notes, Hints and Examples are important elements of the manual and are highlighted with borders and shading (in PDF format through different colors).

Notes and important information can be recognized by a salmon colored background.

Hints can be recognized by a yellow background color.

Examples which illustrate explanations are marked with a light blue background.

2. Manuals

In the section "Help" the active user can access the active user manual and the manual on creating questionnaires with VividForms.



Figure 1: Manuals

Note:

Please note, that all PDF documents have linked indices for easy navigation. Should these links not function properly, please check the settings of your Adobe Reader. To do this, open the menu "Edit/Settings/Documents" and select the answer "Never" for the option "Show document in PDF /A display mode".





In addition to this, the Scanstation manual is available on the start page of the Scanstation dialog.




Figure 2: Main Window of the Scanstation





3. Fundamental Terms

Quire

Questionnaires can be made up of multiple pages. The complete exemplar of a questionnaire including all its pages is called a quire. As soon as more than one page is required, ONE quire enfolds multiple pages of paper.

Questionnaire

The term "questionnaire" can have two meanings in Class Climate:

- On the one hand, it describes the file in Class Climate that serves as a questionnaire template and determines the appearance of the questionnaire which is used for numerous surveys. In this case, it is a PDF file which contains the questionnaire and determines the questions and answer possibilities to be included in the questionnaire and how they appear. You can create paper based and online surveys with this template. In the case of online surveys with VividForms questionnaires, the design is not defined by the questionnaire but by online survey templates.
- On the other hand, when creating a survey you will of course receive a specific questionnaire, which you can use to distribute to all participants.

NonForms

A NonForm is a scanned page which is not recognized as a form.

This happens, for example, if you

- scan a questionnaire which is not yet included in the Class Climate recognition set.
 Then the VividForms reader cannot read this form and it will be treated as an unrecognized form.
- scan a Class Climate form whose barcode has been manipulated. This form can no longer be recognized.
- scan something completely different, for example to test the scanner. These graphic files will of course be treated as NonForms.

Survey / Survey Procedure

In Class Climate, a survey is a process based on a questionnaire. To generate a survey you must first select a questionnaire which exists in the system and apply it to the survey.

The result of this is that a copy of the questionnaire template is created and connected with the survey (hard copy procedure) or a cover page is created for the survey which completes the standard questionnaire with the survey details (cover sheet procedure). The corresponding survey process is uniquely marked on the personalized questionnaire or cover sheet with a barcode, which is read in during the capturing phase. Only the correct identification by means of this code allows for the correct correlation of the data captured to the corresponding Class Climate survey.





4. Creating Active Users

The administrator can assign different rights to the active user. These rights can only be changed by the administrator, not by the active user himself/herself. The following rights can be assigned:

• Can an active user create new questionnaires, extend administrator's templates or can he only use central templates to create his own surveys?



Figure 3: User Access to the VividForms Editor

 After evaluation, can an active user see as to how far his surveys fulfill quality guidelines – or even those of his subunit (or possibly additional subunits) or even those of the complete system?




Figure 4: User Access to the QM Views





Depending on which rights the active user has received, only the allowed functions are displayed in the left menu bar. If he is allowed to create his own questionnaires, the options "Questionnaires", "Create Questionnaire", "Templates" and "Verification" are displayed, if he is only allowed to use templates only the options "Questionnaires", "Templates" and "Verification" are displayed, if he has no access at all none of the options are displayed.







Figure 5 a-c: Possible Access to Questionnaires or Templates





B. Your Evaluation Process

1. Logging into Class Climate

You receive access rights from the administrator. The web address looks something like this: <classclimate-serveraddress>/indexeva.php



Figure 6: Access for Active Users

User name and password are requested. When applying access restrictions, access to this page is only possible from computers which are included in the defined IP address range for users.

After this, a welcoming screen is shown:

Welcome to Class Climate, the Faculty Evaluation Feedback System. First of all, please change your user name – password combination. Click on "My profile" in the left navigation menu. In order to return to this window click on "Folders". You can set up your first folder (a directory for surveys), by clicking on "Create new folder". For further information please consult the online manual. We wish you success!

Figure 7: Welcome Screen





2. Adjusting your Individual Profile

To begin with, the login data can be individually adjusted. To do this, click the entry "My profile" in the left menu bar in the "System Settings" section. An input mask opens where the user's personal data can be adjusted, and the log-in name and password changed. To commit the changes, click [OK].

Note:

For security reasons, every change to the user profile must be confirmed by the individual password in the section "Password * enter password to commit the changes".



Figure 8: Adapting the User Profile





3. Adapting and Creating Questionnaires

A basic component of a survey is the questionnaire. The active user can use, edit and create questionnaires to various degrees, depending on the rights the administrator has allowed.

3.1. System Wide Questionnaires

The system wide questionnaires are created and made available by the administrator. No changes, configurations or extra options can be added or undertaken by the active user.

The active users only have access to the system-wide questionnaires when new surveys are being generated.

3.2. Using Templates

In the "Templates" section, you can find all the questionnaires that the administrator/subunit administrator has made available for individual additions.

How far these can be expanded is limited by the maximum page numbers and the maximum number of elements that have been set by the administrator.



Figure 9: Select Questionnaire Templates





First copy this template by clicking on the icon in the column "Template":




Figure 10: Questionnaire Templates

After copying, the Form Management is opened automatically. This contains the questionnaire that has just been copied. The reference [Template] will be automatically attached to the heading, indicating that the questionnaire comes from a template. Using the icon in the column "Edit", you can edit the questionnaire in the VividForms Editor:




Figure 11: Form Management




Figure 12: Questionnaire Template

The question groups and questions marked with a [T] (= Template) cannot be altered. You can place new question groups between existing ones or only at the end of the questionnaire, depending on the administrator's defaults. Adding new items at the end of the questionnaire simplifies comparing surveys later.





3.1. Individual Questionnaires

If the administrator has given permission, the active user can access the VividForms Editor and Designer in the section "Create Questionnaire" and can create a completely individual questionnaire.




Figure 13: Accessing the VividForms Editor and Designer

Exact instructions on creating a questionnaire with the VividForms Editor can be found in the manual "Creating Questionnaires with VividForms" (accessed in the "Help" section). Exact instructions on creating a questionnaire with the VividForms Designer can be found in the manual, which is available in the VividForms Designer.

You can find all the questionnaires that have already been created in the menu "Questionnaires". In this view, you can copy, delete, edit or export questionnaires.




Figure 14: Form Management





Note:

Attention: As soon as the questionnaire has been inserted into a survey, the individual questions can no longer be edited. In this case, copying the questionnaire is recommended.

In the menu "Settings" the following options can be found:

Filter Settings

This is where you define whether certain answers will cause other questions to be suppressed. In an online survey suppressed questions will not appear or will be inactive. For paper surveys filter settings apply after processing, i.e. retrospectively.

Validation

By defining validations you can test entries to open questions and matrix fields in online surveys with value ranges and regular expressions before a survey participant can send the questionnaire.

Required Questions

Those questions for which an answer is compulsory can be defined here.

Design of online surveys

Here, you can define whether the questionnaire is displayed in online surveys as one page (i.e. to scroll down; option "Complete"), to browse (option "Per Chapter") or according to the page display in the VividForms Editor (option "Per Page"). With the option "Per Chapter" each question group is displayed in online surveys as one page.

Cross Tabulations

The cross tabulations shown here will appear in the PDF report.

3.1.1. Filter Settings

Filter settings allow you to suppress questions which may in certain circumstances be irrelevant. This is especially interesting for online surveys, where this prevents invalid questions from being responded to.




Figure 15: Filter Settings





The filter settings defined here are also used for data from paper surveys. When analyzing each completed questionnaire a check is carried out whether the filter settings should be applied.

Example:

A question asks about the visit of the refectory. If this question is answered with a "No" then questions about the quality of the refectory will not be asked (online surveys) or not analyzed (paper survey).




Figure 16: Filter Settings- Selection of Items to Be Skipped

In order to create a filter setting, select from the list a single choice question and click on [Add].

Now select a response value for which the filter setting should be applied. In the lower area you will see a list of all the questions following the filter question. You can now highlight all of the questions that should not be displayed or should not be analyzed. When you are finished, click on [Save]. Repeat this procedure for each additional filter setting.

The administrator can determine, whether deactivated questions in online surveys are to be grayed out or completely hidden.

16





3.1.2. Validation

By defining validations you can test entries to open questions and matrix fields in online surveys with value ranges and regular expressions before a survey participant can send the questionnaire.




Figure 17: Validation

To create validations select a matrix field or an open question from the list and click on [Add].

Now select which values can be accepted:

- Numbers only Here you can delimit the value range by storing a minimum and maximum value.
- Letters only i.e. no blanks
- Letters or numbers only.
- Date
- Pattern (simplified syntax) By default, the following templates are available:
 - three-digit number,
 - word(underscore)number,
 - serial number.

All three examples are based on the following legend:

- L = Letter
- W = Word
- D = Digit
- N = Number

In addition, there is the possibility of using square brackets to label a placeholder as optional. In this way, the following pattern: D[D][D]-W means that only input consisting of a number of one to three digits, a hyphen and a word (in this order), will be accepted. As well as the common syntax for patterns, there is also the possibility of using regular expressions (on the basis of Perl syntax) to formulate patterns. Regular expressions are often used to recognize patterns and offer a high level of flexibility.

- Pattern (regular expression) The following template choices are available:
 - three-digit number,
 - word(underscore)number,
 - serial number (simple),
 - serial number (complex),
 - email address.





Please note:

A question text should contain instructions for the correct completion of a validation question, so that the survey participant knows which input is admissible.

3.1.3. Required Questions

Questions for which an answer is compulsory can be configured as required questions.

When submitting a questionnaire in an online survey the system checks if all required questions have been answered. If this is not the case, the survey cannot be submitted unless answers to the required questions have been given.




Figure 18: Required Questions

To define the required questions select one or multiple questions and click on [Save]. The selected questions will be displayed with a blue background.

Note:

Unlike the filter settings, required questions are not recognized in paper surveys.





19

3.1.4. Cross Tabulations

In order to use cross tabulations this function must be activated by the administrator.

Select from both lists the variables you would like to use. You can use scaled questions as well as single choice questions with as many as eleven choices.




Figure 19: Create Cross Tabulations

The upper question is displayed in the X axis while the lower question is found in the Y axis of the matrix.

The number of cross tabulations possible is unlimited. In the PDF report two cross tabulations per page will be displayed.





4. Creating a Folder

After changing access data and possibly creating a questionnaire, the active user needs to create a folder so as to work expediently. The folder structures the surveys of the user. Therefore, the structure should reflect the use of this account.

For example, the structure could be ordered by

- Evaluation period (e.g. Semester, if handling regularly recurring surveys): e.g. Surveys SS11 Surveys WS11/12 Surveys SS12.
- Type of survey (e.g. for the case where surveys do not recur regularly): Survey research Project XY Survey Empirical Census YZ.
- Student projects, for the cases where you allow access: Degree Dissertation John Doe – Survey Thesis Jane Doe – Survey Conferral of Doctorate Joe Bloggs

Of course, in the process, multiple structures can be combined, however tree structures are not possible (i.e. one cannot create a folder within a folder).

To create a new folder, the active user clicks the button [Create new Folder]:



Figure 20: Creating a New Folder

In the dialog which follows, the active user is asked for the name of the new folder. At this point, he enters the name.



Figure 21: Creating a New Folder - Naming





After confirming with [OK], the folder appears in the list:




Figure 22: The New Folder in the Listing of Folders

- Any amount of folders can be created.
- Folders can be renamed at any time.
- Folders can be deleted at any time.

Note:

Attention: When deleting a folder, this includes the irretrievable deletion of all surveys and their resulting data contained therein!





5. Creating Surveys

By clicking on the folder name you get into the folder:




Figure 23: Accessing the Folder

Here you can create a new survey by clicking the button [Create new Survey]:



Figure 24: Creating a New Survey

Once you have clicked on the button, you will be guided by a wizard, which prompts you on the following points:

Select the questionnaire to be used




Figure 25: System Wide Questionnaires

Select the questionnaire you want to use for your survey, then, at the bottom of the list, click on [Continue>>].

Note:

If the administrator has given you the right to create your own questionnaires, then, before drawing up the survey, you can create one with the VividForms Editor, or edit a template from the administrator. These questionnaires are then displayed in the above menu beside the system wide questionnaires made available by the administrator. To create and edit your individual questionnaires cf. the separate manual "Creating Questionnaires with VividForms".





Enter the name of the survey




Figure 26: Create New Survey

- Select type of survey
 - Paper based survey
 - Cover sheet procedure
 - Hard copy procedure
 - Additional option: "Use batch printing" (only hard copy procedure)
 - Additional option: "Use verification"
 - Online survey
 - PSWD-based online survey and number of PSWDs required
 - Password based online survey with indication of password

Choose one of the survey types and, if required, one or more additional options. Click on the button [Finish].

Following this, the survey is shown with the status "In progress". The questionnaire or the PSWD document can be recalled and printed or distributed. Also, the batch mailing of emails to online survey participants is possible.




Figure 27: Newly Created Survey in the Survey List





5.1. The Four Types of Surveys

5.1.1. Paper Based Surveys

Hard Copy Surveys

In this case, you get a personalized questionnaire in PDF format.




Figure 28: Questionnaire of a Hard Copy Survey





By means of the automatically filled header area, the barcode and the survey ID, this questionnaire can be unambiguously assigned to a specific survey. You then have to reproduce this questionnaire yourself (-> Open the survey details by clicking on the survey name, then "Show cover sheet/form in browser". The form is then displayed in the Acrobat Reader and can be printed via the print function.)

Cover Sheet Survey




Figure 29: Cover Sheet





The cover sheet procedure is favored when numerous surveys are conducted repeatedly with the same questionnaire. In this case, a "blank version" of the questionnaire can be used. The personalized areas of the questionnaire remain un-filled, and the barcode only contains information about which questionnaire it is and the questionnaire page in question.

Therefore, in this case, the correlation of the survey must follow by means of a cover sheet (which is automatically generated when creating cover sheet surveys). This cover sheet contains all relevant information to this specific survey. It must be scanned as the first page together with the respective batch of questionnaires. This is because during capturing, the cover sheet serves as a reference to the survey process.

5.1.2. Online Surveys




Figure 30: Online Surveys

Online surveys are only possible as HTML surveys. When creating an online survey, the HTML questionnaire is automatically generated according to the layout of your questionnaire. You are able to change the appearance of the online survey by using online survey templates.

PSWD Based Online Surveys

With PSWD based surveys, you can define a specific number of PSWDs based on the expected number of participants. There are from 1 to 1000 (and more) available. By means of these PSWDs, the one-time completion of the survey is enabled. Should one waive the PSWDs, it would not be possible to avoid participants completing surveys more than once.

Password Based Online Survey

In a "password based" survey, you define a general password for all participants, a password consisting of at least 5 and up to a maximum of 25 characters.





Note:

Please note that participants can vote numerous times during password surveys. In extreme cases (sabotage by one or more participants) the collected data may be unusable.

5.2. Extra Options

5.2.1. Questionnaire Numbering /Using Batch Printing

If the option of batch printing is selected, every questionnaire receives a unique number. This is expedient if the questionnaire consists of more than two pages and where the questionnaire, in duplex (double sided) printing, encompasses more than one page of paper.

In this way, the logical cohesion of the quire is guaranteed, even if the questionnaires are mixed up whilst being collected.




Figure 31: Use Batch Printing




Figure 32: Questionnaire Numbering





5.2.2. Verify Data

This option is available in both cover sheet and batch printing procedures. The verification serves to enable the checking, and if needed the correcting, of contentious reading results from the VividForms Reader. A reading result is contentious, for instance, when several items have been marked though only one answer is allowed to a question, or when an answer item has only been slightly darkened etc.

If this option is not activated, the VividForms Reader "decides" on unclear ticks in boxes by means of the threshold settings.




Figure 33: Use Verification

For the exact carrying-out of verifications, see chapter 0.





Administrating and Conducting Surveys

In the folder view, all surveys are displayed. Here you already have fast access to several functions. A mouse click on the survey name takes you straight to the survey details, where you have access to all functions concerning this survey.




Figure 34: Folder View




Figure 35: Details for Survey





Some functions can only be reached via this details view. Depending on the status of the survey (e.g. ready, data available), the type of survey and properties specific to this questionnaire or survey (e.g. language, PSWD status), different details of the survey are provided, as well as different functions are shown.

The header data of the survey is displayed in the upper area of the details screen.

Survey

The name of the survey appears here.

Folder

The name of the folder to which the current survey is assigned.

Type of Survey

There are two types of surveys, which are again divided into two sub-types:

- Online surveys using the PSWD procedure and those using the password procedure.
- Paper surveys (also called paper and pencil), with the sub-types cover sheet and batch printing procedure.

Questionnaire

The name of the questionnaire used. Click on the questionnaire name to display it, when dealing with a cover sheet survey

Status

Surveys can have three statuses. A newly generated survey receives the status In progress. This means that Class Climate is waiting for the forms to be captured. As no result data is at hand when in progress, no evaluation can be shown.

When the questionnaires of a survey have been filled out and scanned in, or when votes have been submitted in online surveys, this is shown by the status **Data available**. The raw data gained by form capturing is transferred by Class Climate into the database and initial statistical calculations have already been conducted.

However, this is only the case if verification was not activated for this survey. Should the correction function have been activated, the status is set to **Verification**. The raw data is transferred to Class Climate after completion of the verification.





After evaluation, you can have the data automatically deleted: To do this, go to the menu "Configuration" on the left and under "Keep survey data alive after automatic reporting?" select the option "No". In this case, after evaluation, the status of the survey is shown as **Data deleted**. The results of the survey are no longer available on the Class Climate server. You have automatically received an email of the evaluation after the scanning process.

Survey created on

The date on which the survey was created.

Last data collection on

The date on which data was last received.

No. of collected questionnaires

The number of captured questionnaires is displayed here. A multiple paged questionnaire is valued as "1". In online surveys, the number of responses appears behind this number.





6.1. Actions in a Survey

In the bottom left area different actions regarding surveys are available, and on the bottom right you can – as soon as data is available – select reports and export formats.



Figure 36: Details of an Online Survey





Paper Based Surveys

Show cover sheet/questionnaire in a browser

Depending on which variation of a survey is being used, the cover sheet or the personalized form is retrieved using this function.

Send cover sheet/questionnaire via email

This function sends the cover sheet or the questionnaire as an attachment to the email address noted in your user profile.

Online Surveys

Show PSWDs in a browser

The PSWD sheets are accessible here. Click on the text [Show PSWDs in browser]. If the online survey is already active, this function only shows the number of PSWDs not yet used.

Receive PSWDs by email

This function sends an email with a PDF attachment containing the PSWDs to the email address noted in your user profile.

Send PSWDs by email to respondents

Click on this option to send PSWDs by email to target groups.

Download PSWDs in CSV file

A CSV file with all PSWDs is created and offered for download.

Generate more PSWDs

Should you require further PSWDs for the survey, you can specify the required amount here and create them by clicking on [OK]. The PSWD sheet with all PSWDs is then created. With newly generated PSWDs, PSWD-charge 2 is shown in the header of the PDF document.

Preview Online Survey

Here you can preview the layout of the online survey.





Scheduled Tasks

You can control the process of the online survey with "Scheduled Tasks". There are three actions which can be chronologically controlled:

- Start the survey and send PSWDs to participants by email
- Send participants a reminder by email (incl. PSWD).
- Close the online survey and, where necessary, submit the evaluation reports by email to the user.

All survey types



= Data collection permitted

With a mouse click on the text, the respective status can be switched. If data collection has been closed you can consider the survey finished, as the results can no longer change. Any further form data which is received marked for this survey is ignored and deleted. If you again open the padlock further forms can be scanned or, in online surveys, further responses can be captured. The data is accumulated.

Restore Survey

If, for whatever reason, data for a survey was captured incorrectly, this command allows you to delete the result data already present in the database. In this way, you bring the survey back to its original state.

Rename Survey

You can rename the survey – if, for example, you realize you have already created a survey with the same name. Simply click on "Rename Survey" and enter the new name. Confirm the new name by clicking on the [OK] button.

Move Survey

At any time, you can move surveys you have created from one folder to another. To move a survey, click on the folder containing the survey you wish to move. Then click on the name of the survey you wish to move. You will automatically be directed to the details of your survey. There, click on the option "Move Survey". Now the survey can

- either be moved to an existing folder, by selecting the relevant folder from the drop down list in the area "Folder"
- or you create a new folder. Enter the name of the new folder in the area "Create in a new folder". In both cases, confirm moving the survey by clicking on the [OK] button.





Delete Survey

This command deletes all data connected with the selected survey. Before executing this command, you should ensure that the raw data and the evaluation file of the survey are saved on your computer. Deleting a survey in Class Climate is irrevocable and cannot be restored.

Request certificate for evaluation

This command shows a PDF document in a new window which can be used as a certificate for conducting an evaluation. This option is only displayed if the administrator has activated the function in the system settings.

Request certificate of results

This command displays a PDF document in a new window that can be used to certify that an evaluation has been carried out. In contrast to attendance certificates, this document also shows the average values for the question groups located in the questionnaire (i.e. the indicators). This option is only displayed if the administrator has activated the function in the central system settings.

Edit / Show Notes

This function is particularly expedient in the context of the QM views. The instructor is able to make a response to the calculated results. Deans or subunit heads can then see these notes as well as supplying their own.

To add a note to a survey, call up the survey details by clicking on the survey name. Then click on [Edit/Show Notes]:




Figure 37: Survey Details - Edit Notes





After this, click on [Add note]:




Figure 38: Add Note

An input dialog appears where the note can be entered:




Figure 39: Editing a Note

After clicking on [Save] the input is saved. Now the symbol in appears in the survey details next to the survey name. If the mouse is rolled over the symbol, the most recent note appears in a window next to the mouse pointer:




Figure 40: Survey with Note





In the case of the QM views, two variations of the symbol can appear next to the survey name:

- ii Symbol: Notes are present
- Symbol: No notes are present

Post entry editing of the notes is only possible by the original author.

Additionally, these notes can be shown in the PDF report, if the administrator has activated the option "Show notes in the PDF report" under "System Settings/Report Settings/Configuration".




Figure 41: All Notes of a Survey in the PDF Report





6.2. Managing and Conducting Paper Based Surveys

6.2.1. Printing Questionnaires

Cover Sheet Procedure

When using the cover sheet procedure, the questionnaires can be produced in a print shop and called up on demand for surveys.

You can call up the PDF in the survey overview or in the survey details.



Figure 42: Calling Up the Questionnaire in PDF Format

You can call up the PDF in the survey overview or in the survey details.




Figure 43: Calling Up the Questionnaire in PDF Format

Hard Copy Procedure

In the hard copy procedure, questionnaires personalized for individual surveys are printed from the details of the survey or the survey list, or the PDF file is recalled so as to be passed on to the print shop.





Document Quality

The quality of the paper used as well as the print image itself is a key factor in the subsequent scanning and processing. You should refrain from making copies, questionnaires should always be printed!

We advise against using gray recycled paper or colored paper due to the gray shading that occurs.

When producing questionnaires on non-commercial printers or copiers, please ensure that the printer driver is set to A4 and there is no page scaling (i.e. options such as "fit to page" must be deactivated).




Figure 44: Print Options





6.2.2. Scanning Questionnaires

Capturing is conducted with the "Class Climate Scanstation" software.

After a few configuration settings, this software can be used on PCs where a document scanner is connected via SCSI or USB. Communication with the scanner takes place via the TWAIN protocol.

For other settings please refer to the "Scanstation Manual" or contact our support team.

Fundamental Guidelines for Scanning

Before beginning the scan process, please ensure that the following conditions are met:

It is recommended capturing only those questionnaires from one survey in one scan operation. These returns of a survey are known as a batch.

If there are more forms at hand than fit into the feeder, the next part of the batch is fed in after reading the first and the scan process is continued.

Place the forms in the feeder as shown in the illustration.





Figure 45: Correct Placing of the Forms in the Scanner

In the cover sheet procedure, the cover sheet must be scanned first.

The quires should be sorted in order and, if the forms consist of more than one page each, always be scanned on both sides.

Should multiple page questionnaires get mixed up, processing is still possible and the end result remains coherent. In this case however, correct results of an evaluation based on subgroups can only be achieved by using questionnaire numbering in the batch events.

Now start the scanning process. As a rule capturing is done in duplex, so the front and rear of each page is scanned at the same time, each being counted as one page. Therefore, if you scan 12 pages each printed on one side in duplex, the following dialog appears reporting that 24 pages have been captured. Empty pages are automatically deleted; there are no adverse effects to the capturing.





If you wish to capture more batches, select [Continue scanning].

If you have finished scanning, select [Finish batch]. The scanned forms are transmitted to the Class Climate server, further evaluation continues automatically. To scan further surveys, click once more on [Scan] in the main window.

If the scanning process contained errors, click on [Discard batch] to wipe out the data of the current scan process and repeat the capturing as a new scanning process.




Figure 46: Dialogue to Finish (or Discard) the Scanning Process






6.2.3. Reading the Questionnaires

The scanned batch is processed using the VividForms Reader. The Reader is already usually running on the server and must not be additionally started by the user. The processing is fully automatically.

Items that have been filled in are recognized by the barcode on the questionnaires and on the cover sheet, and also by OMR (OMR = Optical Markup Recognition).

The information on the questionnaires and the survey contained in the barcode assigns the scanned questionnaires to the correct survey in the system.

The check boxes and open questions are processed via OMR recognition. To do this, the density of shading in a particular reading zone is read. Based on predefined thresholds, the system decides whether a cross is valid or whether the blacking out of the check box denotes a correction. The open question areas are also analyzed for significant density and subsequently saved as an image file. These image files are then integrated into the PDF reports.






Figure 47: OMR Reading Zones





6.2.4. Verification

To correct uncertain marking of boxes the verification module is available, as long as verification was selected as an option when creating the survey. After having scanned the questionnaires, the status "Web Verification" appears in the survey status folder.




Figure 48: Verification

By clicking on the menu entry "Verification", an overview of the current surveys in the verifier appears.




Figure 49: Surveys in the Verifier





By clicking on the "Edit" icon 🥒 , you are automatically directed to the correction screen.

The correction screen always shows one question to be verified. You can comfortably process one question after the other until the verification of all questions in the survey has been completed.




Figure 50: Status (Progress Bar)

The current status is shown in a progress bar in the upper right. The green area denotes questions already verified, the red area those still to be corrected. Additionally, the number of these questions is shown too.

On the left of the status bar, the status reports from the VividForms reader are shown.

The three most common warning messages are:

- The filling degree of a check box is border line.
- No valid check box was found.
- The filling degree of a check box exceeds the allowed value (Check mark discounted).

In the top area, a view of the original scanned question is shown, with the revision view below that. In the revision view you can see the solution suggested by the VividForms Reader.

By clicking on the image, it is enlarged and displayed in a separate window.

In the next figure you can see a scaled question in which the fill value of the marked box is below the threshold for positively recognized markings. The cross is therefore marked as uncertain and shown in the verification.




Figure 51: Correcting a Scaled Question

As no clear marking or shading density was detected, the VividForms Verifier suggests rating the answer to this question as invalid.





Now you can correct this suggestion by selecting another box, or marking the answer to this question as "invalid". By clicking on the [Next] button at the bottom of this page, your correction is adopted and you are automatically led to the next question. By clicking on the [Back] button, you can navigate back through the batch being verified, so as to process questions that have already been corrected.



Figure 52: Navigation in the Verifier

In addition, the following buttons are available:

[Sheet] – Display the complete sheet in a new window. The question just processed is marked with a red circle. This view can be helpful for the entire context.

[Cancel] – Correction is discontinued. Important: All corrections since the last saving are discarded.

[Save] – The current status of the correction, including the current view is saved. You are then automatically lead back to the screen where you were before changing to verification. Verification can continue immediately or at a later time. Saving the verification is necessary, for example, if work has to be interrupted.

At the closing of verification of a batch, the results are automatically saved and the overview is displayed. However, the verification is only truly ended when all NonForms of a batch are deleted. To do this, use the NonForms view or the button [Delete NonForms].

If the NonForms are deleted after finishing the manual verification, the verification must be closed by clicking on the [Edit] button.

Now all results of the batch are written to the database and the evaluation can be called up from Class Climate.





Automatic Verification

In order to speed up verification, it is possible to have certain cases automatically verified by the WebVerifier. The prerequisite for this is that the administrator has switched on this option in the settings.

A column with the icon [12] (Automatic verification) appears. Under the column you can select via two checkboxes, which cases are to be dealt with by the automatic verification:




Figure 53: Selection Fields for Automatic Verification

The following options are available:

- No valid check box found (Invalid): All cases in which no valid check box is found for a question are automatically adopted as invalid.
- A mark as well as correction(s) found: All cases in which a mark or one or more corrections (i.e. fields where the maximum density is detected) are found, are automatically adopted, with the relevant mark, as valid.

If one or both of the options are selected and the verification is started by clicking on the icon , the corresponding cases are filtered out of the overall list of elements still to be verified.





6.2.5. Manual Capturing of Handwritten Comments

Answers to open questions, i.e. handwritten texts by participants, are usually displayed as images in the PDF report. If desired, open questions can be captured manually, i.e. typewritten, to ensure anonymity, as no handwriting is recognizable in the PDF report.

The data entry can be activated by the administrator at the subunit level. i.e. for all surveys in a subunit, entries for open questions must initially be typed before the results can be viewed. If the active user's account is in such a subunit, the user can call up the survey's PDF report after scanning, but cannot view the open questions. The survey receives the status "Data entry".



Figure 54: Waiting for Data Entry

The data entry cannot be done by the active user, because a separate user-role, the "Data entry assistant", is required.

In this case, please contact your Class Climate Administrator so that he can create a suitable user-role for you, or else assign somebody to conduct the data entry.





6.3. Managing and Conducting Online Surveys

6.3.1. Online Survey Preview

It is possible for you to display a preview of your online survey either in the details of the survey or in the VividForms Editor, as long as the administrator has set your rights to use the Editor.

As shown in the following diagram, click on "Preview online survey" in the details of the survey, area "Actions":




Figure 55: Preview of Online Survey in the Details of a Survey

In this case you will receive the following warning message:




Figure 56: Warning Message when Calling Up a Preview of an Online Survey

This warning message informs you that the preview of your online survey does not represent a real online survey, but only offers a visualization of such a survey.





6.3.2. Distributing and Sending PSWDs

The active user has four ways to distribute the PSWDs to the respondents. (PSWDs are password numbers enabling access to the online survey).

- With the option "Show PSWDs in browser", a PDF document can be opened; this
 contains a PSWD card on which the PSWD and the URL to the online survey are
 printed. This card can be cut out and distributed to the participants.
- With the option "Receive PSWDs by email" the PDF document with the PSWD cards can be sent to the email address in the active user's profile.
- With the option "Download PSWDs in CSV File", a list of PSWD numbers can be accessed in CSV format.
- With the option "Send PSWDs by email to respondents", the active user can send the PSWDs by batch email directly to the survey participants. To do this, click in the survey details the option "Send PSWDs by email to respondents".




Figure 57: Send PSWDs by Email to Respondents





An input mask appears, into which the participants' email addresses can be entered:



Figure 58: Entering of Participants' Email Addresses

The addresses must be separated from one another by a paragraph. In order to receive a meaningful response rate later, the number of addresses should be identical to the number of PSWDs generated. It is also possible, however, to enter a smaller number of email addresses. If the number of email addresses entered is higher than the number of PSWDs, then no emails will be sent to the addresses listed after the last PSWD.

Hint:

If too few PSWDs are available, at any time you can generate extra PSWDs in the survey details with the menu option "Generate more PSWDs".





When all the addresses have been entered, click [Submit]. An email text will be displayed, which you can adjust according to your needs.




Figure 59: Adjusting the Email Text and Sending of Emails

The email addresses can be checked for correct formatting by clicking the button [Check emails]; the emails are then sent by clicking [Send Email].

6.3.3. Create and Manage Scheduled Online Surveys

Class Climate offers you the ability of conducting time-controlled online surveys.

The following actions can be time-controlled:

- Opening the survey and sending the PSWD by email to participants
- Reminding the participants by email (including PSWD)
- Closing the online survey and, where necessary, the email submission of the evaluation report to instructors/trainers

These actions are managed separately in the so-called "Scheduled Tasks".

51





The activation and settings of scheduled tasks is survey dependent. This means that the progress of each online survey can be individually controlled. An overview of all scheduled tasks can be found under the menu "System Settings/Scheduled Tasks".

Hint:

By being able to freely select time, email dispatch can be postponed to off-peak times (usually nights). Ensure that the server is operating reliably at the chosen time and not switched off, e.g. because backups are running.

The time control of an online survey can be activated in the details of a survey.




Figure 60: Activating Scheduled Tasks





After generating the survey, the scheduled tasks can be defined one after the other in the following screen.




Figure 61: Scheduled Tasks

The name and number of the survey can be seen in the header area. Directly underneath the header area the three actions of the online survey can be individually activated and controlled. With a mouse click on the button [Edit], you can reach the desired action.

After generating the survey, all actions are, by default, deactivated. By clicking on [Activate] the action can be activated.

Task "PSWD to Participants"

The online survey is started with the process "PSWD to Participants". This means that an email with access information is sent to the participants of the survey.

After clicking on [Activate] the following details can be defined for this email:

- Sender Email
- Sender Name
- Mail Subject





54

- Mail Text
- Recipients (Email Addresses)

The number of email recipients is limited to the number of PSWDs available. If required, additional PSWDs can be generated at any time in the survey details through "Generate more PSWDs".

You can define the timing of the email process in the field "Start Date". A click on the calendar icon opens the calendar. The date and time when the emails should be sent can be chosen here. The handling of the calendar is described at the end of this chapter.

All settings must be saved by clicking on the [Save] button.

Before saving, the email addresses are checked for their correct syntax (e.g. the @ character). For technical reasons, the actual existence of the email addresses cannot be checked. Undelivered emails can be taken from the Class Climate logbook. The email addresses are saved in the system for the purpose of reminders.

Task "Reminder Online Survey"

Implied under the task "Reminder Online Survey" is the dispatch of a reminder email to all participants who have not yet taken part. Access information can also be resent with the reminder email.

Selectively, more than one reminder email can be sent. In this case, select the option "Multiple reminders every X day(s)". The system then resends reminder emails until the survey is finally closed.

After activating this task, all the fields of the email such as the senders name, subject and the text of the email can be changed. Recipients are automatically read out of the system. In this way, all participants who have not yet completed the survey automatically receive the email. Once the start date has been determined, the settings of the task have to be saved.

Task "Close Survey"

This task serves to close the online survey.

Once the survey is closed, no further responses can be accepted. The unused PSWDs become invalid and can no longer be used. Informing the participants is not included in this task.

If required, the direct submission of the evaluation document to the survey owner can be activated. In this case, the owner of the survey (i.e. the active user) automatically receives an email with the results of the online survey.

This task, too, is time phased with a start date and secured with [Save].





Using the Calendar

The calendar serves to select the date and time of a scheduled task.



Figure 62: Calendar

All changes to the calendar are automatically adopted in the input template behind it. For this reason there is no save button in the calendar itself, once the date and time have been selected, it can be closed with the "x".

With a click on [?], help for using the calendar can be displayed.

By means of the arrows you can change to the required year and required month. Hold mouse button on any of the above buttons for faster selection. You subsequently select a day in the calendar and, in the line below that, a time.

Hint:

With each mouse click, the time is increased by 1 hour/minute. By pressing shift and a mouse click, the hours and minutes are reduced by 1. Furthermore you can click and drag for faster selection.





6.3.4. Overview of Planned Online Surveys

In this menu, all scheduled tasks for online surveys are clearly displayed.




Figure 63: Scheduled Tasks

For each survey, the three tasks are shown in one line. The status of the task can be seen in the column "Status".

For some statuses, further information is available under the sign .

The following statuses are possible:

- Open The task is activated and not yet carried out
- Running The task is now running, emails are being sent.
- Deactivated The task is deactivated
- Executed The task has been successfully completed
- Executed with error The task was completed with error
- Executed with warning The task was completed but with a warning (e.g. "report could not be created as data was not available")
- Not completed/with error

 The task is not correctly defined and the settings should be checked

You can use these action icons to control the operations you have planned:

- Edit the scheduled task
- Immediate execution of the task
- 🚰 Deactivate task
- Delete all scheduled tasks of the survey





7. Working with the Data of the Active User

This function is available as soon as the first data is ready, i.e. as soon as the questionnaires have been scanned and evaluated by the Reader, or, as soon as the online survey participants have voted. The survey data can be accessed in two places: in the survey overview and in the details of a survey.

7.1. In the Overview of Surveys in a Folder



Figure 64: Survey with Data

The survey overview enables rapid access to each survey's data. The following columns are important:

- # Forms Number of captured questionnaires
- RS Delete data. If you wish to test a questionnaire in a survey, you can delete the
 data before starting the survey again.
- **Del** Deletes the survey and the data, the questionnaire, however, remains preserved.
- Report as soon as data from participants are included in the survey, a report is displayed. To view the report, click on the appropriate survey. The report is generated from the current datasets each time you click and can be displayed as a PDF or HTML page.





7.2. In the Details of a Survey




Figure 65: Details of a Survey with Data

You gain access the survey's details by clicking on a survey's name in the survey overview. Different data access is available in the section "Survey data". The individual options will be explained in the following chapters.

7.2.1. Survey Evaluation Statistics (Only in Paper Surveys)

In the evaluation statistics the header data of all scanned batches of a survey are displayed. From this data, the timing and extent of the scanning process can be traced.





7.2.2. Results in HTML Format

The (interim) results of your survey are available as an HTML version. Click the text to open a new browser window with the evaluation.





Figure 66: HTML Report





On the evaluation page you are able to click on the result bar. A small window then opens, in which the histogram belonging to a question is displayed graphically. The hand written image areas are also clickable. You can then view the corresponding image in its original size, which is, if in doubt, easier to read.






Figure 67 a+b: Scaled Questions in the HTML Report

The result bar shows the percentage distribution of answers to the checkboxes. On the right hand side of the line, the number of each of the captured responses is displayed. This number can vary downwards from the number of captured questionnaires, as abstentions or invalid crosses (e.g. by multiple markings) are not counted.

The red vertical bar represents the mean. The horizontal, H-shaped marking behind the average value is the value range for standard deviation. The histograms belonging to the respective result bar show the percentage distribution graphically, additionally, the mean and the standard deviation are presented numerically.





7.2.3. Results in PDF Format

Here the PDF version of the evaluation is at your disposal. The high level of detail and the ability to store for future use are some of the advantages of the PDF report. By clicking on the button [Show], a PDF file opens in a separate browser window.




Figure 68: PDF Report

The PDF report can - depending on the settings of the administrator - include the following elements:

- A cover letter to the instructor / trainer / project manager
- Histograms of the indicators in the questionnaires, and, if required, with global indicators and/or Cronbach's Alpha
- A legend for the evaluation of scaled questions
- The individual evaluation of the questions appearing on the questionnaire (depending on settings, with or without open questions)
- Large scale histograms of the scaled questions
- Cross tabulations
- A profile line (which– if a standard is set– is presented as a normed profile line)





- A presentation template, which includes the indicators
- Answers to open questions (handwritten or typed the latter in the case of online surveys or where a data capturing assistant was used)
- Survey notes (You can display the added notes of the different user types in the PDF report).

The elements of the PDF report will depend on the system-wide settings and the properties of the questionnaire.

Via the button [Email] the PDF report can be sent directly to the active user. The Class Climate server sends an email to the address stored in your profile. This email contains the PDF analysis, and (if enabled), and has the CSV file attached. Since producing the files takes a few seconds, you should exercise a little patience until the relevant message appears. Clicking again causes the generation of further emails.





7.2.4. Profile Line (Optional)

This function creates a profile line representation of the scaled questions of the relevant survey. The other question types will not appear here. Select [Profile Line] from the list, then click on [Show].



Figure 69: Profile Line from the Details of a Survey

To compare this profile line with one from another survey, choose from the selection list (drop-down menu) one of the comparison surveys. Only evaluated surveys appear in this list. Click on [Show]; the profile line comparison is opened.




Figure 70: Profile Line Comparison

If you have used different questionnaires for your surveys, but would like to compare them anyway, an automatic or manual text comparison is available. Activate the option "Automatic" if the questionnaires hardly differ. Class Climate then matches the character strings of the question texts on each form.

Activate the option "Manual" if your questionnaires have greater differences, i.e. when the character strings are too different (because you may want to compare a German and an English form), or if the order of the questions on the form is different. The individual questions on both forms must now be manually compared and collated.





7.2.5. Merging Evaluations

As soon as you have more than one survey in the system, this function is available. You can merge surveys using same questionnaire as well as surveys with partially similar questionnaires. Automatic and manual question mapping are available for comparing different questionnaires.

Note:

Open the PDF report first, otherwise the option "Merge evaluations..." is not shown.

After clicking on [Merge Evaluations...] a selection list of surveys ready to be merged appears.




Figure 71: Merge Evaluations

These are presented in a "Survey Name (Folder name)" manner. By holding "ctrl" and using the mouse, you can make multiple selections from the list. Enter a name for the resulting compilation. Select whether you want to include open questions in the report and whether question mapping in differing questionnaires should be conducted manually or automatically. The last option allows you to determine whether the surveys are merged weighted or unweighted. Unweighted compilations do not include open questions. (Unweighted reports are not available for export.)





Finally, click on [Merge].




Figure 72: Questionnaire Comparison

In the next window you can deselect individual questions which are not to be included in the report. By default, all questions are activated. In surveys of various questionnaires, only questions of the same textual content are automatically activated. By clicking on [Request], the compilation is generated.



Figure 73: Merged Survey in the Folder View





7.2.6. Evaluate Subgroup

If data is available from the survey of an active user, the active user can create subgroup reports of the surveys. This means that separate reports can be created for each of the options of single choice, multiple choice or scaled questions, for example a report for male and a report for female students.

Note:

Open the PDF report first, otherwise the option "Evaluate subgroup..." is not shown.

After clicking on [Evaluate subgroup...], a list of all the closed questions in the questionnaire appears.




Figure 74: Subgroup Evaluation i.e. All Male Participants

On the left side, select one of the questions from the relevant selection box. Then, on the right side, open the corresponding list and select one of the answer options. The list contains the valid responses to the question. Then, at the bottom of this screen, enter a name for the resulting survey and click on [Create]. The subgroup report will now be displayed in the list of surveys.



Figure 75: Subgroup Evaluation in the List of Surveys





To create a subgroup report with several criteria, click on "Evaluate subgroup..." in the details of a report. In the window that opens, you can click on the link "To the selection of several criteria for subgroup reports".




Figure 76: Selecting Multiple Criteria for Subgroup Reports

In the following dialog box, select the desired criteria for your subgroup report.




Figure 77: Selecting the Criteria (Questions) for the Subgroup Report





In this window you can, for example, choose all female participants as your first criterion. To do this, click on the question "Gender" in the area "Available questions". On the right hand side select then the value of the criterion, that is, the desired response to this question. In this example, you would select "female":




Figure 78: Selecting the First Criteria "Female" for the Subgroup Report

Finally, click on the button [Add criterion]. The criterion will then appear in your "Default criteria combination". In this example, the criterion "Gender" with the value "2 (female)" was added. The condition is that this value must be met exactly (indicated by the "=" sign in the column "operator"):




Figure 79: Criteria "Female" Was Successfully Selected

Depending on what question type the selected question belongs to, you can select a "=" in the column "Operator", or select other operators too. In scaled and matrix questions, as well as the "=" there is "<", ">" and "≤" and "≥".





You can change the value of the criterion here at any time, select, for example, all male participants instead of all female participants. Simply click on the arrow of the drop-down menu for the value of your selected question:




Figure 80: Changing the Value from "Female" to "Male"

Furthermore, you can delete the selected criterion at any time by clicking on the red cross in the column "Options".

You can also create a subgroup report for all female respondents with a simple subgroup, there is no need to combine criteria. You can, however, combine this criterion with others, for example with the major subject. In this way you can create a subgroup report on all female participants who have entered chemistry as their main subject.

As described above, first select the criteria "Gender" with the value "Female". In a second step, select the criteria "Main subject" with the value "Geology". Your default criteria combination now consists of two criteria:




Figure 81: Criteria Combination of All Female Participants with the Main Subject "Geology"

In this example, you want to merge all (female) students studying chemistry. This means that both conditions must be met at the same time (i.e. the student is female **and** majors in chemistry). For this reason, the two selected criteria are connected by the logical operator "And". (For those experienced in IT: You can select the Boolean operators.)

If, on the other hand, you wish to create a subgroup report containing all the results for all participants who are either female **or** studying chemistry, select the operator "OR". Your subgroup report will now contain the results of all (female) students as well as all students (male and female) majoring in chemistry. This means that this subgroup report also contains the results of male students studying chemistry.




Figure 82: "OR linkage" of Two Criteria





Subsequently, as you are familiar with, assign a meaningful name, opt for or against the inclusion of the open questions in the subgroup report and click on the button [Create]. The subgroup report now appears in the list of reports:




Figure 83: Subgroup Report

7.2.7. Dynamic Subgroups

The survey need not be closed when the subgroup reports are created, this means, that data may be still be added. For this case, the subgroup reports of an active instructor/trainer — as opposed to those of the report creator — will be updated automatically. An active instructor/trainer can decide whether he/she wants to create a dynamic subgroup or not. Dynamic sub-group reports are automatically updated when new data comes in. This avoids having to repeat the creation of subgroups. This functionality is especially useful when running longer-term surveys and you want to observe criteria filtered reports over the course of the survey. (You can always save the reports as PDFs and, as such, keep them available after re-calculation takes place.)

Dynamic subgroup reports are only available through instructor/trainer accounts, i.e. report creators cannot use this function.

Open the details of a survey and click in the area Survey Data on "Evaluate subgroup...". You can determine the automatic recalculation at a later date by means of the checkbox "Automatically recalculate subgroup report" under the name of the subgroup.




Figure 84: Creating a Dynamic Subgroup





Note:

Should this option not appear, please recall the HTML or PDF report and then click on [Reload].

Dynamic subgroups are denoted by the symbol , normal subgroups by the symbol :



Figure 85: Dynamic Subgroups in the List of Surveys

If new data has been captured for the main survey (in the example shown "Spanish – Basic Knowledge"), the next time the folder is opened, an automatic re-calculation of the subgroups takes place:




Figure 86: Re-calculation of Subgroups





Once the re-calculation has been completed, the re-calculated evaluation is immediately available:




Figure 87: Re-calculated, Dynamic Subgroup

If a survey, for which dynamic subgroups exist, is to be deleted, a message will appear, asking what to do with the subgroups. The choices available are either to delete these evaluations or alternatively to keep them by removing their dynamic nature:




Figure 88: Deleting a Survey for which Dynamic Subgroups Exist





7.3. Exporting data to CSV/SPSS

- So as to further evaluate your data, these can be exported to CSV and SPSS at any time.
- They are to be found in the survey list as well as below the survey details (by clicking on the survey name, you reach the survey details).

Note:

First open the PDF report. Otherwise the raw data may not be shown or may not be current.



Figure 89: Possible Exports of a Survey

Raw data can be exported in two different formats.




Figure 90: Possible Exports from the Details of a Survey





7.3.1. Raw Data in SPSS Format

Should you wish to continue using the survey data in SPSS, the SPSS export function is at your disposal. Click on the text and, in the dialogue that opens, save the file to your hard drive. This will create a SAV file, which can now be opened using SPSS.

7.3.2. Raw Data in CSV Format

Should you wish to continue using the survey data in another application, such as Microsoft Excel, the CSV export function is at your disposal. A mouse click opens a dialogue box that notifies you that you can open the file directly or save it.





C. Advanced Settings and Functions

1. Process Defaults in the Menu "Configuration"

Via the menu entry "Configuration" you can define process defaults to enable a further automation of your work with Class Climate.



Figure 91: Menu "Configuration"




Figure 92: Content of the Menu "Configuration"





The following options are available:

When creating surveys automatically send emails with cover sheet / questionnaire / PSWDs?

This option sends the cover sheet or personalized form for your new survey immediately after creation of the survey to the email addresses given in your profile.

Make own utilization statistics available for other instructors?

The information contained in the utilization statistics concerning, for example, the number of scanned questionnaires and number of surveys can be viewed by your colleagues if you permit it. Otherwise only the administrator can view the utilization statistics.

After the scanning operation automatically generate email with message or report (only paper survey)?

You can automatically send emails (also with reports) after the forms have been scanned. The email will be sent to the email address given in your profile. If the email does not have a report file then it is a matter of system configuration. A message text or in addition a PDF report and/or CSV raw data can be sent. This setting is made by the administrator.

Close the survey after the scanning operation?

Surveys can be highlighted as either "ended" or "not yet ended". This function allows you to collect data in a number of scanning operations in different periods of time (e.g. when returns come in "waves"). If you are sure that you will not need further scanning operations after the first scanning operation then you can answer this question with "yes".

Keep survey data after analysis in the system (only paper survey)?

The survey data is stored in the Class Climate database after it has been captured. The survey data can be deleted manually at any time. If however you would like to delete the survey data before it enters the database you must deactivate this option. In this case you have to activate the option "Automatically send a message or the report by email after the survey has been analyzed (paper surveys only)".





2. Question Library

For your work with the VividForms Editor you can use a question library, i.e. a pool of predefined questions, which can be complemented by your own questions.

The question library can be found in the menu "System Settings".

Different editing functions as well as functions for import and export are available here. Also, a print preview of all question groups and questions can be accessed.




Figure 93: Question Library

Editing View

In the editing view, the current content of the question library is displayed in the form of a tree structure consisting of three levels:

- User, which means the "Owner" of the question groups/questions (Administrator, Subunit Administrator or Active User)
- Question Groups
- Questions

By clicking on a user/a question group or on the open/close symbol in front of the entry, the entry is opened and the elements contained therein are displayed. By clicking on a question group or question, the corresponding properties and available actions are displayed in the right hand window.





In the upper area it is defined whether the question group or question is a public or non-public one. Public questions and question groups are available to all users (subunit administrators, active instructors), non-public only to the relevant owner of the question/group. By activating or deactivating this option, the public status can be changed at any time.

For each question group and question, four actions can be undertaken:

- Edit: enables the retrospective editing of a question/group
- Delete: deletes the question/group from the library
- Copy: copies a question/group
- New Group/Question: creates a new group or question in the library




Figure 94: Question Library – Actions

To edit a question, use the mouse in the editing view to mark the desired question and then click on the green pencil in the area "Question". The Question Wizard known from work with the VividForms Editor opens.





79

Here, the desired changes (e.g. changes to the question text, the answer options or the pole texts etc.) can be made.




Figure 95: Question Library - Editing Questions

To edit a question group, use the mouse to mark the group or any question within the group and click on the green pencil in the area "Group". Here too, the Question Wizard opens and enables editing.

To delete or copy a group or a question, mark the desired element and select the relevant action. Please observe, when deleting a question group, all questions contained therein are also deleted.

If you want to create a new question or question group, click on the corresponding icon in the category Group or Question. The wizard opens with which you can undertake the required settings. Finally, click on [Apply]. The group or question is now displayed in the library. Please observe that the new question is always created in the library group which is currently marked.





Import and Export

The import into the question library as well as the export is achieved via a CSV file.

When importing the question library as a CSV file, the following structure must be adhered to:

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7
Question Group Title	Question type*	Number of options**	Question text	Left pole***	Right pole****	Abstention****

Table 1: Structure of the Question Library (CSV File)

- * The question types are assigned numbers, the following schema is valid:
- 0 Scaled Question
- 2 Open Question
- 4 Grade Value Question
- 6 Single Choice Question with up to 11 answer options (answer options located next to the question text, all answer options are displayed in the report)
- 8 Multiple Choice Question
- 10 Single Choice Question with any number of answer options (answer options located beneath the question text, only selected answer options are displayed in the report)
- 14 Matrix Field Question

Note:

Please note, that for scaled questions neither mirroring nor dual scale functions can be imported or exported.

- ** Number of options: In scaled questions, the number of checkboxes is stored here. In grade value questions and open questions this field remains empty. In single choice, single choice extended and multiple choice questions, the number of response options is recorded. In matrix field questions the number of groups in the PDF report is recorded here.
- *** Left pole: In scaled questions the left pole description is recorded here. In open questions you can enter the number of lines available to the survey participant for his response here. In grade value questions this field remains empty. In single choice, single choice extended and multiple choice questions, the response options are recorded here. Please note, the different response options must be separated by a vertical line (Pipe) "|". In matrix field questions enter the minimum value here.





**** Right pole: In scaled questions the right pole description is recorded here. In matrix field questions enter the maximum value here. For all other question types, this field remains empty

***** Abstention: In scaled questions an abstention text can be stored here. For all other question types, this field remains empty

The following example should clarify the structure of a CSV file for you:

Personal Details	4		Grade of Your last graduation			
Personal Details	14	5	Age:	18	99	
Personal Details	6	2	Gender:	Male Female		
Course: Planning and Presentation	0	4	The course provides a good overview of the topic.	Agree	Disagree	n/a
Course: Planning and Presentation	2		Your comment on the course content:	3		

Table 2: An Example of the CSV File Structure when Importing and Exporting the Question Library

This structure is also valid for the export of the question library as a CSV file. To import a question library, click on [Browse] and select a Class Climate question library file. To start the import process, click on [Import].

To export click on [Export]. A "Save as..." dialog appears. Select a folder and click on [Save].

To integrate question groups and questions from the library into your questionnaire, please open the question library in VividForms Editor (See also the separate manual "Creating Questionnaires with VividForms").





3. System Information

In the section "System Information" you are supplied with information concerning the current status of the system as well as different forms of loggings.



Figure 96: System Information

The following menus are available:

Utilization Statistics

The command "Utilization Statistics" displays your utilization behavior. Subsequently, you can view the utilization statistics of any colleague as long as their profile allows that kind of access (see configuration).

Logbook

The log reflects all processes which can occur when collecting the questionnaire data electronically.

Deliveries

Here you can see all the emails that have been sent from your Class Climate user account. Therefore, amongst other things, the emails to the respondents of the online survey will be recorded here.

System Info

On this page, you receive an overview of the address data of the company as well as everything in Class Climate's existing sub areas.